

P444 0003
GOSO/mib

Paper No.: _____

IN THE UNITED STATES PATENT & TRADEMARK OFFICE

Inventor: Dong HUANG and Dong Feng QI
Title: NOVEL DAMMARANE SAPOGENINS,
THEIR USE AS ANTI-CANCER AGENTS,
AND A PROCESS FOR PRODUCING SAME
Filed: Herewith
Date: 18 October 2001

4

To: Commissioner for Patents
Washington, D.C. 20231

Dear Sir:

**LIST OF PATENTS AND PUBLICATIONS FOR
APPLICANT'S INFORMATION DISCLOSURE STATEMENT
[Form PTO-1449 (Modified)]**

United States Patent Documents

| Examiner | ID | Patent No. | Issue Date | Inventor(s) | Class | Sub-Class | Filing Date |
|----------|----|------------|------------|---------------|-------|-----------|-------------|
| 1 | AA | 4,157,894 | June 12/79 | Bambardelli | | | |
| SCW | AB | 5,919,770 | July 6/99 | Hideo et al. | | | |
| 1 | AC | 4,621,137 | Nov. 4/86 | Miyake et al. | | | |
| / | AD | | | | | | |
| / | AE | | | | | | |
| / | AF | | | | | | |
| / | AG | | | | | | |
| / | AH | | | | | | |
| / | AI | | | | | | |
| / | AJ | | | | | | |
| / | AK | | | | | | |

Foreign Patent Documents

| Examiner | ID | Publn. No. | Publn. Date | Country/Inventor | Class | Sub-Class | Translation? |
|----------|----|------------|-------------|-------------------------|-------|-----------|--------------|
| SCW | BA | 8-208688 | Aug. 13/96 | Japan - Keizo et al. | | | |
| SCW | BB | 11-295310 | Oct. 29/99 | Japan - Hiroyuki et al. | | | |

1c971 U.S. PTO
09/982018
10/19/01

| | | | | | | | |
|-----|----|-------------|------------|-------------------------|--|--|--|
| 152 | BC | WO/97/31933 | Sept. 4/97 | PCT - Cheil Je Dang Co. | | | |
| | BD | | | | | | |
| | BE | | | | | | |
| | BF | | | | | | |
| | BG | | | | | | |
| | BH | | | | | | |
| | BI | | | | | | |
| | BJ | | | | | | |
| | BK | | | | | | |

15971 U.S. PTO
09/982018



Other Art

| Examiner | ID | Author, Title, Date, Pertinent Pages, etc. |
|----------|----|--|
| | CA | Y.S. Kim, et al., Ginsenoside Rh2 and Rh3 induce differentiation of HL-60 cells into granulocytes: modulation of protein kinase C isoforms during differentiation by ginsenoside Rh2, <i>The International Journal of Biochemistry & Cell Biology</i> 30 (1998) 327-338. |
| | CB | A.S. Attele, et al., Ginseng Pharmacology: Multiple Constituents and Multiple Actions, <i>Biochemical Pharmacology</i> , Vol. 58, pp. 1685-1693, 1999. |
| | CC | H. Hasegawa, et al., Reversal of Daunomycin and Vinblastine Resistance in Multidrug-Resistant P388 Leukemia <i>in vitro</i> through Enhanced Cytotoxicity by Triterpenoids, <i>Planta Med.</i> 61 (1995) 409-413. |
| | CD | www.herbmed.org/herbs/panax.htm , Alternative Medicine Foundation - information regarding ginseng. |
| 50 | CE | Abstract - Y.N. Lee, et al., In vitro induction of differentiation by ginsenosides in F9 teratocarcinoma cells, <i>Eur. J. Cancer</i> 1996, July; 32A(8):1420-8. |
| | CF | Abstract - S. Odashima, et al., Control of phenotypic expression of cultured B16 melanoma cells by plant glycosides, <i>Cancer Res.</i> 1985 June; 45(6):2781-4. |
| | CG | Abstract - L.J. Xia & R. Han, [Differentiation of B16 melanoma cells induced by ginsenoside RH2], <i>Yao Hsueh Hsueh Pao</i> 1996;31(10):742-5. |
| | CH | Abstract - Y. Kikuchi, et al., Inhibition of human ovarian cancer cell proliferation in vitro by ginsenoside Rh2 and adjuvant effects to cisplatin in vivo, <i>Anticancer Drugs</i> 1991 Feb;2(1):63-7. |
| | CI | Abstract - K.Y. Lee, et al., Ginsenoside-Rh2 blocks the cell cycle of SK-HEP-1 cells at the G1/S boundary by selectively inducing the protein expression of p27kip1, <i>Cancer Lett.</i> 1996 Dec 20; 110(1-2):193-200. |
| | CJ | Abstract - M. Oh, et al., Anti-proliferating effects of ginsenoside Rh2 on MCF-7 human breast cancer cells, <i>Int. J. Oncol.</i> 1999 May; 14(5):869-75. |
| | CK | Abstract - T. Ota, et al., G1 phase-specific suppression of the Cdk2 activity by ginsenoside Rh2 in cultured murine cells, <i>Life Sci.</i> 1997; 60(2):PL39-44. |
| | CL | Abstract - H. Nakata, et al., Inhibitory effects of ginsenoside Rh2 on tumor growth in nude mice bearing human ovarian cancer cells, <i>Jpn. J. Cancer Res.</i> 1998 July; 89(7):733-40. |

| | | |
|-----|----|--|
| | CM | Abstract - H.E. Kim, et al., Ginsenoside RH-2 induces apoptotic cell death in rat C6 glioma via a reactive oxygen- and caspase-dependent but Bcl-X(L)-independent pathway, <i>Life Sci.</i> 1999; 65(3):PL33-40. |
| | CN | Abstract - J.A. Park, et al., Activation of caspase-3 protease via a Bcl-2-insensitive pathway during the process of ginsenoside Rh2-induced apoptosis, <i>Canc. Lett.</i> 1997 Dec 16; 121(1):73-81. |
| | CO | Abstract - K. Shinkai, et al., Inhibition of in vitro tumor cell invasion by ginsenoside Rg3, <i>Jpn. J. Cancer Res.</i> 1996 Apr. 87(4):357-62. |
| | CP | Abstract - H. Iishi, et al., Inhibition by ginsenoside Rg3 of bombesin-enhanced peritoneal metastasis of intestinal adenocarcinomas induced by azoxymethane in Wistar rats, <i>Clin. Exp. Metastasis</i> 1997 Nov; 15(6):603-11. |
| | CQ | Abstract - M. Mochizuki et al., Inhibitory effect of tumor metastasis in mice by saponins, ginsenoside-Rb2, 20(R)- and 20(S)-ginsenoside-Rg3, of red ginseng, <i>Biol. Pharm. Bull.</i> 1995 Sep.;18(9):1197-202. |
| | CR | Abstract - Lee, S.J., et al., Antitumor activity of a novel ginseng saponin metabolite in human pulmonary adenocarcinoma cells resistant to cisplatin, <i>Cancer Lett.</i> 1999 Sep. 20; 144(1):39-43. |
| SEA | CS | Abstract - M. Yoshikawa, et al., Bioactive saponins and glycosides. XI. Structures of new dammarane-type triterpene oligoglycosides, quinquenosides I, II, III, IV, and V, from American ginseng, the roots of <i>Panax quinquefolium</i> L., <i>Chem. Pharm. Bull.</i> (Tokyo) 1998 Apr.; 46(4):647-54. |
| | CT | Abstract - A.M. Popov, et al., [Comparative study of anti-tumor activity of the monoglucosides protopanaxadiol and betulafolientriol], <i>Antibiot. Khimioter</i> 1994 Jul.;39(7):24-9. |
| | CU | Abstract - T. Kaku et al., Chemico-pharmacological studies on saponins of <i>Panax ginseng</i> C.A. Meyer. II. Pharmacological Part, <i>Arzneimittelforschung</i> 1975 Apr.; 25(4):539-47. |
| | CV | Abstract - Y.S. Kim, et al., Ginsenoside Rh2 and Rh3 induce differentiation of HL-60 cells into granulocytes: modulation of protein kinase C isoforms during differentiation by ginsenoside Rh2, <i>Int. J. Biochem. Cell Biology</i> 1998 Mar.;30(3):327-38. |
| | Cw | Abstract - Y. Takino, [Studies on the pharmacodynamics of ginsenoside-Rg1, -Rb1 and -Rb2 in rats], <i>Yakugaku Zasshi</i> 1994 Aug.;114(8):550-64. (Also list of titles of related articles.) |
| | CX | Abstract - N.M. Duc, et al., Saponins from Vietnamese ginseng, <i>Panax vietnamensis</i> Ha et Grushv. collected in central Vietnam. III. <i>Chem. Pharm. Bull.</i> (Tokyo) 1994 Mar.;42(3):634-40. |
| | CY | Abstract - N.I. Baek, et al., Ginsenoside Rh4, a genuine dammarane glycoside from Korean red ginseng, <i>Planta Med.</i> 1996 Feb.;62(1):86-7. |
| | CZ | Abstract - M. Yoshikawa, et al., Bioactive saponins and glycosides. VIII. Notoginseng (1): new dammarane-type triterpene oligoglycosides, notoginsenosides-A, -B, -C and -D, from the dried root of <i>Panax notoginseng</i> (Burk.) F.H. Chen. <i>Chem. Pharm. Bull.</i> (Tokyo) 1997 June;45(6):1039-45. |
| | DA | Abstract - D. Hou, et al., Separation and determination of chemical constituents in the volatile oil of three traditional Chinese crude drugs, <i>J. Pharm. Biomed. Anal.</i> 1998 Sept.;17(8):1423-6. |
| | DB | Abstract - J.P. Hou, The chemical constituents of ginseng plants, <i>Comp. Med. East West</i> 1977 Summer;5(2):123-45. |

| | | |
|---------------|----|--|
| | DC | Abstract - J.F. Cui, et al., Gas chromatographic-mass spectrometric determination of 20(S)-protopanaxadiol and 20(S)-protopanaxatriol for study on human urinary excretion of ginsenosides after ingestion of ginseng preparations, <i>J. Chromatogr. B. Biomed. Sci. App.</i> 1997 Feb. 21;689(2):349-55. |
| | DD | Abstract - J.F. Cui, et al., Analysis of ginsenosides by chromatography and mass spectrometry: release of 20 S-protopanaxadiol and 20 S-protopanaxatriol for quantitation, <i>Anal. Biochem.</i> 1993 May 1;210(2):411-7. |
| | DE | Abstract - T. Ota, et al., Mechanism of action of ginsenoside Rh2: uptake and metabolism of ginsenoside Rh2 by cultured B16 melanoma cells, <i>J. Pharm. Sci.</i> 1991 Dec.;80(12):1141-6. |
| | DF | Abstract - C. Wakabayashi, et al., An intestinal bacterial metabolite of ginseng protopanaxadiol saponins has the ability to induce apoptosis in tumor cells, <i>Biochem. Biophys. Res. Commun.</i> 1998 May 29;246(3):725-30. |
| | DG | Abstract - C. Wakabayashi, et al., In vivo antimetastatic action of ginseng protopanaxadiol saponins is based on their intestinal bacterial metabolites after oral administration. <i>Oncol. Res.</i> 1997;9(8):411-7. |
| <i>S.O.B.</i> | DH | Abstract - S.J. Lee, et al., Antitumor activity of a novel ginseng saponin metabolite in human pulmonary adenocarcinoma cells resistant to cisplatin, <i>Cancer Lett.</i> 1999 Sep. 20;144(1):39-43. |
| | DI | Abstract - H. Hasegawa & M. Uchiyama, Antimetastatic efficacy of orally administered ginsenoside Rb1 in dependence on intestinal bacterial hydrolyzing potential and significance of treatment with an active bacterial metabolite, <i>Planta Med.</i> 1998 Dec.;64(8):696-700. |
| | DJ | Abstract - K. Okita, et al., Anti-growth effects with components of Sho-saiko-to (TJ-9) on cultured human hepatoma cells, <i>Eur. J. Cancer Prevention</i> 2(2):169-75, 1993 Mar. |
| | DK | Abstract - A.S. Attele, et al., Ginseng pharmacology: multiple constituents and multiple actions, <i>Biochemical Pharmacology.</i> 58(11):1685-93, 1999 Dec. 1. |
| | DL | Abstract - M. Oh, et al., Anti-proliferating effects of ginsenoside Rh2 on MCF-7 human breast cancer cells, <i>International Journal of Oncology</i> , 14(5):869-75, 1999 May. |
| | Dm | Abstract - J. Molnar, et al., Membrane associated antitumor effects of crocine-, ginsenoside- and cannabinoid derivatives, <i>Anticancer Research</i> 20(2A):861-7, 2000 Mar.-Apr. |
| | DN | Abstract - M. Mochizuki, et al., Inhibitory effect of tumor metastasis in mice by saponins, ginsenoside-Rb2, 20(R)- and 20(S)-ginsenoside-Rg3 of red ginseng, <i>Biological & Pharmaceutical Bulletin</i> , 18(9):1197-202, 1995 Sep. |
| | DO | www.rxlist.com/cgi/alt/ginseng.htm - article regarding ginseng. |
| | DP | online.daylight.com - print-outs showing chemical structures of panaxadiol, protopanaxadiol, protopanaxatriol, 20(R)-ginsenoside-h2, 20(S)-ginsenoside-Rh2, Dammara-20,24-dien-3beta-ol and Betalafolien(e)triol. |
| | DQ | |

Examiner: *S.O.B.*

Date Considered: *2/7/03 S.O.B.*

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.